

CRYSTIC SOLUTION MW

Introduction

Solution MW is a solution of paraffin waxes in a mixture of styrene and white spirit.

Applications

Solution MW is recommended for use as an additive for unsaturated polyester resin solutions.

Features and Benefits

Solution MW reduces surface tack without affecting cure.

Product Characteristics

Formulation

Solution MW should be added at 1% to 2% by weight to the unsaturated polyester resin. Stir well by hand, or with a low shear mixer. Continue to use the polyester resin according to its individual product instructions.

TYPICAL PROPERTIES

Property	Crystic Solution MW
Appearance	Colourless, free flowing liquid
Odour	Sweetish aromatic
Viscosity @ 20°C	2 centistokes
Specific Gravity @ 15°C	0.85

Storage

Crystic Solution MW should be stored in the dark in suitable closed containers. It is recommended that the storage temperature should be less than 20°C where practical, but should not exceed 30°C.

Packaging

Crystic Solution MW is supplied in 500 ml and 4 litre containers.

Storage and Health & Safety

Please see separate Material Safety Data Sheet.



Scott Bader Company Limited
Wollaston, Wellingborough,
Northamptonshire NN29 7RL
Telephone: +44 (0) 1933 663100
Facsimile: +44 (0) 1933 665650



INVESTOR IN PEOPLE

